

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	("6751209" "6791982").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 11:45
S2	5	("6331983" "7212511").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 11:52
S3	82	((van NEAR jacobson) OR VJ) AND compress\$9 AND uncompress\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 11:26
S4	52	S3 AND (packet NEAR head \$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 11:27
S5	29	S4 and @ad<="20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 11:30
S6	4	S5 AND (connect\$9 NEAR identifi\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 11:37
S7	0	S6 AND (((connect\$9 NEAR identifi\$9) OR CID) NEAR3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 11:43
S8	0	S6 AND (((connect\$9 NEAR identifi\$9) OR CID) NEAR3 compar\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 11:44
S9	0	S6 AND ((connect\$9 NEAR identifi\$9) NEAR3 compar \$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 11:44

S10	1	((van NEAR jacobson) OR VJ) AND ((connect\$9 NEAR identifi\$9) NEAR2 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 11:46
S11	2	S3 AND delinea\$9 AND snooper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 11:48
S12	285	delinea\$9 AND snoop\$9 AND packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 11:50
S13	15	S12 AND (connect\$9 NEAR identifi\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 11:50
S14	1	S13 AND (((connect\$9 NEAR identifi\$9) OR CID) NEAR3 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 11:50
S15	6	S13 and @ad<="20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 11:51
S16	2	S13 AND (((connect\$9 NEAR identifi\$9) OR CID) NEAR3 compar\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 11:53
S17	10223	((packet NEAR data) NEAR2 node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 14:32
S18	23934	wireless AND (IP NEAR network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 14:33
S19	2165	S17 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 14:33

S20	330	S19 AND TCP/IP AND header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 14:33
S21	67	S20 AND compress\$9 AND uncompress\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 14:34
S22	14	S21 AND (connect\$9 NEAR identifi\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 14:34
S23	3	S22 and @ad<="20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 14:35
S24	14	(filter\$9 SAME compress\$9 SAME header SAME mobile) AND TCP/IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:32
S25	3	S24 and @ad<="20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:32
S26	1	(filter\$9 SAME compress\$9 SAME header SAME ((van NEAR jacobson) OR VJ)) AND TCP/IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:36
S27	61	(filter\$9 WITH compress\$9 WITH header) AND TCP/IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:37
S28	44	S27 and @ad<="20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:37
S29	0	S28 and snoop\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:37

S30	0	S28 and ((connect\$9 NEAR identif\$9) NEAR4 match\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:40
S31	0	S28 AND ((van NEAR jacobson) OR VJ) AND TCP/IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:41
S32	0	S28 AND ((van NEAR jacobson) OR VJ)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:43
S33	2	S27 AND ((van NEAR jacobson) OR VJ)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:44
S34	2518	snoop\$9 AND filter\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:52
S35	40	S34 AND (compress\$9 WITH header) AND TCP/IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:52
S36	28	S35 and @ad<="20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:52
S37	0	S36 AND ((van NEAR jacobson) OR VJ)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:53
S38	2	"7054268".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:31
S39	10983	snoop\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:37

S40	1033	snooper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:37
S41	2334	(S39 OR S40) AND (data NEAR packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:38
S42	42	S41 AND delinea\$9 AND snooper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:38
S43	250	S41 AND delinea\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:39
S44	1	S43 AND ((van NEAR jacobson) OR VJ) AND compress\$9 AND uncompress\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:39
S45	104	S43 AND compress\$9 AND uncompress\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:40
S46	1	S45 AND ((van NEAR jacobson) OR VJ)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:40
S47	0	S45 and @ad<="20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:40
S48	104	S45 AND (TCP/IP OR IP) AND header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:42
S49	41	S45 AND (mobile OR wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:44

S50	113	S43 and @ad<="20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:46
S51	30	S50 AND (mobile OR wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:47
S52	40	S42 and @ad<="20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:50
S53	1371	delineator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 17:11
S54	0	S43 AND (uncompress\$9 WITH (data NEAR packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 17:12
S55	0	S53 AND (uncompress\$9 WITH (data NEAR packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 17:12
S56	76	S53 AND (data NEAR packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 17:13
S57	47	S56 and @ad<="20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 17:13
S58	14	S57 AND (mobile OR wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 17:15
S59	8	(mobile wireless) same decompress\$9 same packet same (terminal near equipment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/15 14:38

S60	4	S59 and @ad<="20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/15 14:39
S61	56	packet same (mobile cell\$9) same receiv\$9 same compressed same uncompress\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 10:54
S62	25	S61 and @ad<="20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 10:54
S63	0	S62 and ((van NEAR jacobson) OR VJ) AND compress\$9 AND uncompress\$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 10:55
S64	0	S62 and ((van NEAR jacobson) OR VJ)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 10:56
S65	0	S62 and (forward same packet same (without no) same decompress\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 11:52
S66	65	(forward same packet same (without no) same decompress\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 11:53
S67	40	S66 and @ad<="20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 11:53
S68	95989	"379"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 11:35
S69	1	S68 AND (((van NEAR jacobson) OR VJ) SAME header SAME compress\$9 SAME (TCP OR TCP/IP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 11:37

S70	108	379/271.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 11:38
S71	130	370/271.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 11:38
S72	150360	"370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 11:39
S73	59	S72 AND (((van NEAR jacobson) OR VJ) SAME header SAME compress\$9 SAME (TCP OR TCP/IP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 11:39
S74	31	S73 AND @ad<="20030808"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/07 11:40
S80	6	("20020174203" "6791982" "6751209").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/11 12:36

**EAST Search History (Interference)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S75	0	(packet AND receiver AND header AND TCP/IP AND ((Van NEAR Jacobson) OR VJ) AND compress\$9 AND (terminal NEAR equipment) AND ((packet NEAR2 node) OR PDSN)).clm.	USPAT; UPAD	OR	ON	2010/04/07 11:48
S76	0	(storage AND list AND connection AND TCP/IP AND ((Van NEAR Jacobson) OR VJ) AND (active NEAR2 session) AND (active NEAR application) AND destination).clm.	USPAT; UPAD	OR	ON	2010/04/07 11:52



S77	0	(compar\$9 AND (connection NEAR identification) AND IP AND ((Van NEAR Jacobson) OR VJ) AND packet AND forward\$9 AND result).clm.	USPAT; UPAD	OR	ON	2010/04/07 11:57
S78	0	(without AND (connection NEAR identification) AND IP AND decompress\$9 AND packet AND forward\$9 AND (does NEAR "not") AND (active NEAR application)).clm.	USPAT; UPAD	OR	ON	2010/04/07 12:00
S79	0	((connection NEAR identification) AND IP AND decompress\$9 AND packet AND forward\$9 AND correspond\$9 AND (active NEAR application) AND (intend\$9 NEAR destination)).clm.	USPAT; UPAD	OR	ON	2010/04/07 12:02

**8/ 11/ 2010 1:41:57 PM**

**C:\ Documents and Settings\ knguyen23\ My Documents\ EAST\ Workspaces  
 \ 10\_805157\_08\_11\_2010.wsp**